


Question

1 pts

Which of the following is not one of the four components of the Nagi Disablement Model?



Disease

Impairments

Limitations

Ambulatory status

Correct answer comments

The four components of the Nagi Disablement Model (disease, impairments, functional limitations, and disability) evolve as the individual loses health.

Wrong answer comments

The four components of the Nagi Disablement Model (disease, impairments, functional limitations, and disability) evolve as the individual loses health.

Question

1 pts

Loss of dorsiflexion range of motion is an example of what component of the Nagi Disablement Model?

Disease

Impairments

Functional limitations

Neurologic Interventions for Physical Therapy 4th Edition Test Bank

Disability

Correct answer comments

Examples of physical impairments include a loss of strength in the anterior tibialis or a loss of 15 degrees of active shoulder flexion. The physical impairments may or may not limit the individual to perform functional tasks.

Wrong answer comments

Examples of physical impairments include a loss of strength in the anterior tibialis or a loss of 15 degrees of active shoulder flexion. The physical impairments may or may not limit the individual to perform functional tasks.

Question

1 pts

According to the *Guide to Physical Therapists Practice, 2nd Edition*, what is defined as “those activities identified by an individual as essential to support physical, social, and psychological wellbeing and to create a personal sense meaningful living”?

- Activities of daily living
- Functional limitations
- Function
- Instrumental activities of daily living

Correct answer comments

As physical therapy professionals, it is important that we understand our role in optimizing patient function. The *Guide to Physical Therapists Practice, 2nd Edition*, defined the function as “those activities identified by an individual as essential to support physical, social, and psychological wellbeing and to create a personal sense of meaningful living.”

Wrong answer comments

As physical therapy professionals, it is important that we understand our role in optimizing

Neurologic Interventions for Physical Therapy 4th Edition Test Bank

patient function. The *Guide to Physical Therapists Practice, 2nd Edition*, defined the function as “those activities identified by an individual as essential to support physical, social, and psychological wellbeing and to create a personal sense of meaningful living.”

Question

1 pts

According to the International Classification of Functioning, Disability, and Health, what is defined as a condition of physical, mental, and social wellbeing which allows an individual to participate in functional activities and life situations?

- Health
- Strength
- Disease
- Disorder

Correct answer comments

According to the International Classification of Functioning, Disability, and Health, health is much more than the absence of disease but rather a condition of physical, mental, and social wellbeing which allows an individual to participate in functional activities in life situations.

Wrong answer comments

According to the International Classification of Functioning, Disability, and Health, health is much more than the absence of disease but rather a condition of physical, mental, and social wellbeing which allows an individual to participate in functional activities in life situations.

Question

1 pts

What are the deficits that an individual may experience when attempting to meet social roles and obligations within the environment?

-
- Social roadblocks

Neurologic Interventions for Physical Therapy 4th Edition Test Bank

Physical limitations

Functional restrictions

Neurologic Interventions for Physical Therapy 4th Edition Test Bank

Participation restrictions

Correct answer comments

Participation restrictions are the deficits that an individual may experience when attempting to meet social roles and obligations within the environment.

Wrong answer comments

Participation restrictions are the deficits that an individual may experience when attempting to meet social roles and obligations within the environment.

Question

1 pts

Which of the following emphasizes enablement rather than disability?



The Oswestry questionnaire



The Nagi model

The ICF

The Guide to Physical Therapist Practice

Correct answer comments

The International Classification of Functioning, Disability and Health (ICF) is similar to the Nagi model; however, the ICF emphasizes enablement rather than disability. In the ICF model, there is less focus on the cause of the medical condition and points more emphasis directed to the impact that activity limitations and participation restrictions have on the individual.

Wrong answer comments

Neurologic Interventions for Physical Therapy 4th Edition Test Bank

The International Classification of Functioning, Disability and Health (ICF) is similar to the Nagi model; however, the ICF emphasizes enablement rather than disability. In the ICF model, there is less focus on the cause of the medical condition and points more emphasis directed to the impact that activity limitations and participation restrictions have on the individual.

Question

1 pts

Which of the following is not included in a plan of care developed by physical therapists after an examination of a client?

- Insurance reimbursement guidelines
- Goals
- Expected outcomes
- Intervention

Correct answer comments

If after the examination, the physical therapist (PT) concludes that the patient will benefit from therapy services, the plan of care is developed which identifies the goals, expected outcomes, and the interventions to be administered to achieve the desired patient outcomes.

Wrong answer comments

If after the examination, the physical therapist (PT) concludes that the patient will benefit from therapy services, the plan of care is developed which identifies the goals, expected outcomes, and the interventions to be administered to achieve the desired patient outcomes.

Question

1 pts

What in what part of the physical therapy patient/client management module would the therapist interpret the patient's responses to tests and make clinical judgments relative to the severity of the patient's problems?

Neurologic Interventions for Physical Therapy 4th Edition Test Bank

Examination

r
Evaluation