

## **Chapter 01: Psychiatric–Mental Health Nursing and Evidence-Based Practice**

1. A group of nurses are reviewing information about the evolution of mental health care and are discussing the recommendations of the final report of the Joint Commission on Mental Illness and Health. The nurses demonstrate an understanding of this information when they identify that the report

- A) Number of mental health hospitals
- B) Institutionalization of clients with mental health problems
- C) Number of clinics supplemented by general hospital units
- D) Use of psychotherapy by psychiatrists

recommended an increase in what?

ANS: C

**Feedback:**

The final report of the Joint Commission on Mental Illness and Health, called Action for Mental Health, recommended increased numbers of community clinics supplemented by general hospital units for mental illness care. The ideas in the report shifted responsibility for mental health care to the federal, state, and local governments.

PTS: 1 REF: 9, A New National Objective: Community Treatment  
OBJ: 5 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Teaching/Learning BLM: Cognitive Level: Remember  
NOT: Multiple Choice

2. A nurse is reviewing literature that sanctions the involvement of psychiatric–mental health nurses in the provision of holistic nursing care. Integrating knowledge of the various theories and views of mental health and illness, the nurse identifies which as **most** strongly linked to this holistic approach?

- A) Sigmund Freud’s psychoanalytic theory
- B) Florence Nightingale’s *Notes on Nursing*
- C) Lavinia Lloyd Dock’s *Materia Medica for Nurses*
- D) Clifford Beers’ *A Mind That Found Itself*

ANS: B


**Feedback:**

The American Nurses Association’s *Statement on Psychiatric Nursing Practice* (1967) officially sanctioned a holistic approach to nursing care for the first time. The roots of this contemporary psychiatric–mental health nursing thought can be traced to Florence Nightingale’s *Notes on Nursing*, which presented a holistic view of the patient, with the view of the patient as living within a family and community. Freud’s psychoanalytic theory focused on personality development and unconscious motivations for drives. Beers’ autobiography described the inhumane treatments used for mental illness, which led to the formation of a National Committee for Mental Hygiene.

PTS: 1 REF: 2–3, Emergence of Modern Nursing Perspectives  
OBJ: 2 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Nursing Process BLM: Cognitive Level: Analyze  
NOT: Multiple Choice

3. A psychiatric–mental health nurse is preparing a presentation about key events and people that influenced the development of contemporary mental health and illness care. When describing the effects of World War II, which would the nurse **most** likely include?

- A) People began to view mental illness as more commonplace and acceptable.
- B) The biologic understanding of mental illness was almost fully developed.



## Test Bank For Psychiatric Nursing, 7th Edition Mary Ann

- C) Deinstitutionalization occurred in response to the community health movement.
- D) Mental illnesses became categorized as psychoses or neuroses.

ANS: A

**Feedback:**

During World War II, mental illness was beginning to be seen as a problem that could happen to anyone. Many “normal” people who volunteered for service were disqualified on the grounds that they were psychologically unfit to serve. Others who had already served a tour of duty developed psychiatric and emotional problems related to their wartime experiences. The biologic understanding of mental illness continues to evolve. Deinstitutionalization and the community mental health movement occurred during the 1960s. In the early 20th century, Freud categorized mental illness as either a psychosis or neurosis.

PTS: 1 REF: 8, National Action

OBJ: 4

NAT: Client Needs: Health Promotion and Maintenance

KEY: Integrated Process: Teaching/Learning

BLM: Cognitive Level: Apply

NOT: Multiple Choice

4. A nurse is presenting a discussion of the history of psychiatric–mental health nursing and its place within nursing history. Which would be **most** appropriate to include?
- A) Certification for the psychiatric–mental health nursing specialty was first emphasized by Mary Adelaide Nutting.
  - B) Psychiatric nurses played a part in seeing that all deinstitutionalized clients got treatment at community mental health centers.
  - C) There is a historical link between the first nursing program to admit male students and the first training school for psychiatric nursing.
  - D) The first graduate program in psychiatric nursing was established in response to the publication of psychiatric nursing specialty journals.

ANS: C

**Feedback:**

In 1882, the first training school for psychiatric nursing was established at the McLean Asylum by E. Cowles; this was also the first nursing program to admit men. Nutting emphasized psychiatric–mental health nursing role development. Unfortunately, deinstitutionalization failed. Hildegard E. Peplau was responsible for establishing the first graduate program in psychiatric–mental health nursing, in 1954. Publication of journals soon followed, beginning in the 1960s.

PTS: 1 REF: 3, Box 1.2 History of Psychiatric–Mental Health Nursing

OBJ: 2 NAT: Client Needs: Psychosocial Integrity

KEY: Integrated Process: Teaching/Learning

BLM: Cognitive Level: Analyze

NOT: Multiple Choice

5. When reviewing the evolution of mental health and illness care, which event is associated with mental disorders beginning to be viewed as illnesses requiring treatment?
- A) Establishment of Pennsylvania Hospital in Philadelphia
  - B) Quaker establishment of asylums
  - C) Creation of the state hospital system
  - D) Freud’s views on the causes of mental illnesses

ANS: A

**Feedback:**

## Test Bank For Psychiatric Nursing, 7th Edition Mary Ann

Mental disorders began to be viewed as illnesses with the establishment of Pennsylvania Hospital, the first institution in the United States to receive those with mental disorders for treatment and cure. The Quaker establishment of asylums reflected the impetus toward moral treatment. Dorothea L. Dix advocated for the humane treatment of clients with mental illness with the creation of state hospitals. Freud believed that the primary causes of mental illnesses were psychological and a result of disturbed personality development and faulty parenting.

PTS: 1 REF: 5, Table 1.1 Premoral Treatment Era  
OBJ: 2 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Nursing Process BLM: Cognitive Level: Apply  
NOT: Multiple Choice

6. A psychiatric–mental health nurse is working on a committee that is developing programs that integrate the objectives for mental health and mental disorders, as identified in Healthy People 2030. Which type of program would be least appropriate?
- A) Single substance abuse treatment programs
  - B) Depression-screening programs for primary care providers
  - C) Mental health programs for the homeless population
  - D) Employment programs for those with serious mental illness

ANS: A

**Feedback:**

The objectives of Healthy People 2030 identify the need to increase the proportion of persons with co-occurring substance abuse and mental disorders receiving treatment for both disorders. Thus, single substance abuse treatment programs would be least beneficial. The objectives call for an increase in depression screening by primary care providers, an increase in the proportion of homeless adults with mental health problems who receive mental health treatment, and an increase in the proportion of persons with serious mental illness who are employed.

PTS: 1 REF: 10, National Mental Health Objectives  
OBJ: 5 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Nursing Process BLM: Cognitive Level: Analyze  
NOT: Multiple Choice

7. The following events are important in the development of psychiatric–mental health nursing practice. Which event occurred first?
- A) Publication of *Standards of Psychiatric-Mental Health Nursing* by the ANA
  - B) Publication of *Standards of Child and Adolescent Psychiatric and Mental Health Nursing Practice*
  - C) Establishment of the first graduate program in psychiatric nursing at Rutgers University
  - D) Publication of the first psychiatric nursing text, *Nursing Mental Disease*, by Harriet Bailey

ANS: D

**Feedback:**

In 1920, the first psychiatric nursing text was published. In 1954, the first graduate program in psychiatric nursing was established. In 1967, the ANA published the *Standards of Psychiatric-Mental Health Nursing*. In 1985, the *Standards of Child and Adolescent Psychiatric and Mental Health Nursing Practice* was published.

PTS: 1 REF: 2, Early Founders OBJ: 2  
NAT: Client Needs: Safe, Effective Care Environment: Management of Care  
KEY: Integrated Process: Teaching/Learning BLM: Cognitive Level: Remember  
NOT: Multiple Choice

8. A nurse is preparing a presentation about the current status of mental health services in the United States. Which statement would the nurse include as the **most** reflective of this status?

## Test Bank For Psychiatric Nursing, 7th Edition Mary Ann

- A) "Mental health care in the United States is equally accessible to individuals."
- B) "Mental illness ranks second among conditions causing responsible for chronic disability."
- C) "Mental health care primarily focuses on the cure of mental illness."
- D) "Mental health care services are inadequate and fragmented."

ANS: D

**Feedback:**

Today, mental health services in the United States are inadequate and fragmented, with millions of adults and children being disabled by mental illness every year. Mental illness ranks first in terms of causing disability in the United States compared with other illnesses. Recovery from mental illness, not cure, is the current worldwide goal.

PTS: 1

REF: 11, Box 1.6 Mental Health and Mental Disorders Objectives for the Year 2030

OBJ: 5 NAT: Client Needs: Safe, Effective Care Environment: Management of Care

KEY: Integrated Process: Teaching/Learning

BLM: Cognitive Level: Analyze

NOT: Multiple Choice

9. A group of nurses are reviewing the goals identified by the *New Freedom Commission on Mental Health*. The nurses demonstrate understanding of this report when they identify what as a goal?
- A) Mental health is viewed as an isolated component of overall health.
  - B) The consumer and family are the driving forces for mental health care.
  - C) Screening is of greater importance than assessment and referral for services.
  - D) Disparities in mental health services are maintained.

ANS: B

**Feedback:**

According to the New Freedom Commission on Mental Health, one goal is to ensure that mental health care is consumer and family driven. In addition, the goals address the need to understand that mental health is essential to overall health, not just that it is one part of overall health. It also emphasizes that early mental health screening, assessment, and referral to services are common practice. Thus, screening is as important as assessment and referral. Moreover, the goals address the need for disparities in mental health services to be eliminated, not just reduced.

PTS: 1

REF: 9, Contemporary Mental Health Care

OBJ: 5

NAT: Client Needs: Safe, Effective Care Environment: Management of Care

KEY: Integrated Process: Teaching/Learning

BLM: Cognitive Level: Apply

NOT: Multiple Choice

10. As part of a career day presentation to a group of nursing students, a psychiatric–mental health nurse plans to describe how this specialty developed. Which individual would the nurse describe as playing a major role in the development of specialty training programs for psychiatric nurses?
- A) Mary Adelaide Nutting
  - B) Hildegard E. Peplau
  - C) Harriet Bailey
  - D) Linda Richards

ANS: B

**Feedback:**

Hildegard E. Peplau developed the first graduate program in psychiatric nursing, identifying it as a specialty. Mary Adelaide Nutting emphasized nursing role development. Harriet Bailey wrote the first psychiatric nursing textbook. Linda Richards was the first trained nurse in the United States and opened the Boston City Hospital Training School for Nurses at McLean Hospital, a psychiatric facility.

PTS: 1

REF: 2, Emergence of Modern Nursing Perspectives

## Test Bank For Psychiatric Nursing, 7th Edition Mary Ann

OBJ: 2                      NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Teaching/Learning                      BLM: Cognitive Level: Apply  
NOT: Multiple Choice

11. A group of students is reviewing information about mental health care after World War II. The students demonstrate an understanding of this information when they identify which action that took place as a result of the National Mental Health Act?
- A) Discovery of psychopharmacology
  - B) Passage of the Hill–Burton Act
  - C) Establishment of the National Institute of Mental Health
  - D) Development of community mental health centers

ANS: C

**Feedback:**

The National Mental Health Act created a six-member National Mental Health Advisory Council that established the National Institute of Mental Health, which was responsible for overseeing and coordinating research and training. Passage of this act did not lead to the discovery of psychopharmacology. The Hill–Burton Act, which followed the passage of the National Mental Health Act, provided federal support for hospital construction. The development of community mental health centers was the result of the Action for Mental Health, which provided the basis for the Mental Retardation Facilities and Community Mental Health Centers Construction Act of 1963.

PTS: 1                      REF: 8, National Action                      OBJ: 2  
NAT: Client Needs: Safe, Effective Care Environment: Management of Care  
KEY: Integrated Process: Teaching/Learning                      BLM: Cognitive Level: Analyze  
NOT: Multiple Choice

12. When providing care to a client, the psychiatric–mental health nurse is implementing the therapeutic use of self. The nurse is applying the concepts based on the work of which individual?
- A) Hildegard E. Peplau
  - B) Florence Nightingale
  - C) Dorothea L. Dix
  - D) Sigmund Freud

ANS: A

**Feedback:**

Hildegard E. Peplau conceptualized nursing practice as independent of physicians and emphasized the use of self as a nursing tool. Florence Nightingale identified the need to view clients holistically, was sensitive to human emotions, and recommended interactions that today would be classified as therapeutic communication. Dorothea L. Dix crusaded for the humane treatment of clients with mental illness. Sigmund Freud developed a personal theory based on unconscious motivations for behavior.

PTS: 1                      REF: 2–3, Emergence of Modern Nursing Perspectives  
OBJ: 1                      NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Nursing Process                      BLM: Cognitive Level: Understand  
NOT: Multiple Choice

13. After teaching a group of nurses about the historical perspectives of mental health care, the presenter determines that the group has understood the information when they identify which as a common belief about mental illness during the later medieval period from 1000 to 1300?
- A) Mental illness in an individual was the result of being possessed by demons.
  - B) A person was removed from a contaminated environment to protect him or her.
  - C) Exorcisms were used as primary mode of treatment to cleanse the person of his or her sins.
  - D) The focus was on moral treatment to promote the individual's safety and comfort.

ANS: B

**Feedback:**

During the medieval period, contaminated environments were believed to cause mental illness. Consequently, individuals were removed from their sick environments and placed in protected asylums. During the early Christian period, sin or demonic possession was thought to cause mental disorders. Thus, exorcisms were commonly performed. Moral treatment was the focus of care primarily during the 19th century.

PTS: 1 REF: 4, Evolution of Mental Health Recovery  
OBJ: 2 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Teaching/Learning BLM: Cognitive Level: Analyze  
NOT: Multiple Choice

14. A psychiatric–mental health nurse is implementing evidence-based practice. The nurse understands that this approach is developed by doing what first?
- A) Conducting research
  - B) Identifying a clinical question
  - C) Determining outcomes
  - D) Collaborating with the client

ANS: B

**Feedback:**

In an evidence-based approach, first clinical questions are defined. Then evidence is discovered and analyzed. Next, the research findings are applied in a practical manner and in collaboration with the patient, and outcomes are evaluated.

PTS: 1 REF: 3–4, Evidence-Based Practice and Current Psychiatric Nursing  
OBJ: 3 NAT: Client Needs: Safe, Effective Care Environment: Management of Care  
KEY: Integrated Process: Nursing Process BLM: Cognitive Level: Understand  
NOT: Multiple Choice

15. A psychiatric–mental health nurse is describing the various programs offered by the local community mental health center. When explaining how these programs work, the nurse would emphasize which concept?
- A) autocratic leadership
  - B) paternalistic decision-making
  - C) complete autonomy
  - D) collaboration

ANS: D

**Feedback:**

In today's environment, the traditional medical model, which is viewed as autocratic and paternalistic, is being replaced by a collaborative model whereby mental health professionals work in partnership with consumers to help rebuild their lives. Consumer advocacy efforts have led to the implementation of recovery philosophy and practices.

PTS: 1 REF: 10, Recovery and the Consumer Movement  
OBJ: 5 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Teaching/Learning BLM: Cognitive Level: Apply  
NOT: Multiple Choice

16. A psychiatric–mental health nurse wants to use an evidence-based approach to care. Which action would the nurse implement first?
- A) Analyze the evidence.
  - B) Define the clinical question.
  - C) Practically apply research findings.
  - D) Evaluate outcomes.

ANS: B

**Feedback:**

When using an evidence-based approach, the nurse would first define the clinical questions, then discover and analyze the evidence, apply the research findings in a practical manner and in collaboration with the patient, and lastly evaluate the outcomes.

PTS: 1

REF: 3–4, Evidence-Based Practice and Current Psychiatric Nursing

OBJ: 3

NAT: Client Needs: Psychosocial Integrity

KEY: Integrated Process: Nursing Process

BLM: Cognitive Level: Apply

NOT: Multiple Choice

17. A nurse is describing the concept of evidence-based practice in psychiatric–mental health nursing to a group of colleagues. Which information would the nurse include as being important? (Select all that apply.)
- A) research findings
  - B) expert opinion
  - C) clinical experiences
  - D) client data
  - E) established routines

ANS: A, B, C, D

**Feedback:**

Evidence-based practice is based on the most relevant evidence from research or evidence-based theories, as well as expert opinion, client data, and clinical experiences. Established routines may or may not be grounded in evidence; therefore, they may be subject to change based on supporting evidence.

PTS: 1

REF: 3–4, Evidence-Based Practice and Current Psychiatric Nursing

OBJ: 3

NAT: Client Needs: Safe, Effective Care Environment: Management of Care

KEY: Integrated Process: Teaching/Learning

BLM: Cognitive Level: Apply

NOT: Multiple Response

18. A psychiatric–mental health nurse is working a booth at a local community college job fair. One of the participants comes to the booth and asks the nurse about the different types of conditions for which psychiatric–mental health nurses provide care. Which condition would the nurse **most** likely include in the response? (Select all that apply.)
- A) Issues involving self-mutilation
  - B) Self-esteem issues related to loss of a limb
  - C) Problems associated with family or group isolation
  - D) Substance use disorders
  - E) High health literacy issues for adherence

ANS: A, B, C, D

**Feedback:**

Psychiatric nurses care for patients with a wide range of emotional problems and mental disorders. These nurses, specializing in mental health nursing, are not only experts in caring for persons with a primary diagnosis of a mental disorder but also for those with self-concept and body image issues, developmental crises, co-occurring disorders, end-of-life changes, and emotional stress related to illness, disability, or loss. It is a psychiatric nurse who is called when violence, suicide, or a disaster erupts. Issues involving non-adherence related to low health literacy would be a situation in which psychiatric–mental health nurses would be involved.

PTS: 1

REF: 2, Box 1.1 Psychiatric–Mental Health Nursing’s Phenomena of Concern

OBJ: 1

NAT: Client Needs: Psychosocial Integrity

KEY: Integrated Process: Teaching/Learning

BLM: Cognitive Level: Apply

NOT: Multiple Response

**Chapter 02: Mental Health and Mental Disorders: Fighting Stigma and Promoting Recovery**

---

1. As part of a class activity, nursing students are engaged in a small-group discussion about the epidemiology of mental illness. Which statement best explains the importance of epidemiology in understanding the impact of mental disorders?
  - A) Epidemiology helps promote understanding of the patterns of occurrence associated with mental disorders.
  - B) Epidemiology helps explain research findings about the neurophysiology that causes mental disorders.
  - C) Epidemiology provides a thorough theoretical explanation of why specific mental disorders occur.
  - D) Epidemiology predicts when a specific psychiatric client will recover from a specific mental disorder.

ANS: A

**Feedback:**

Epidemiology is the study of patterns of disease distribution and determinants of health within populations. It contributes to the overall understanding of the mental health status of population groups, or aggregates, and it examines the associations among possible factors. Epidemiology does not explain research findings about neurophysiology, provide theoretical explanations for why specific disorders occur, or predict recovery.

PTS: 1                      REF: 18, Summary of Key Points                      OBJ: 4  
NAT: Client Needs: Safe, Effective Care Environment: Management of Care  
KEY: Integrated Process: Nursing Process                      BLM: Cognitive Level: Understand  
NOT: Multiple Choice

2. A nurse is working in a community mental health center that provides care to a large population of people of Asian descent. When developing programs for this community, which would be most important topic for the nurse to address?
  - A) public stigma
  - B) self-stigma
  - C) label avoidance
  - D) negative life events

ANS: C

**Feedback:**

Although public stigma and self-stigma may be areas needing to be addressed, in this cultural group, label avoidance would be most important. Label avoidance or avoiding treatment/care so as not to be labeled mentally ill is a type of stigma that influences why so few people with mental health problems actually receive assistance. Asian cultures commonly have negative views of mental illness that influence the willingness of members to seek treatment; they possibly ignore the symptoms or refuse to seek treatment because of this stigma. Negative life events affect anyone, not just those of the Asian culture.

PTS: 1                      REF: 16, Label Avoidance                      OBJ: 5  
NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Nursing Process                      BLM: Cognitive Level: Understand  
NOT: Multiple Choice

3. A nursing student is assigned to care for a client diagnosed with schizophrenia. When talking about this client in a clinical post-conference, the student would use which terminology when referring to the client?



## Test Bank For Psychiatric Nursing, 7th Edition Mary Ann

- A) Committed client
- B) Schizophrenic
- C) Schizophrenic client
- D) Person with schizophrenia

ANS: D

**Feedback:**

Just as a person with diabetes should not be referred to as a “diabetic” but rather as a “person with diabetes,” a person with a mental disorder should never be referred to as a “schizophrenic” or “bipolar,” but rather as a “person with schizophrenia” or a “person with bipolar disorder.” Doing so helps to counteract the negative effects of stigma.

PTS: 1 REF: 15, Stigma OBJ: 5

NAT: Client Needs: Psychosocial Integrity

KEY: Integrated Process: Nursing Process

BLM: Cognitive Level: Apply

NOT: Multiple Choice

4. A nurse is reviewing journal articles that discuss the occurrence of major depression. One of the articles describes the number of persons newly diagnosed with the disorder during the past year. The nurse interprets this as which type of data?
- A) rate
  - B) prevalence
  - C) point prevalence
  - D) incidence

ANS: D

**Feedback:**

The article is describing incidence, which refers to a rate that includes only new cases that have occurred within a clearly defined time period. The most common time period evaluated is 1 year. Rate reflects the proportion of cases in the population compared with the total population. Prevalence refers to the total number of people with the disorder within a given population at a specified time, regardless of how long ago the disorder started. Point prevalence refers to the proportion of individuals in the population who have a disorder at a specific point in time.

PTS: 1 REF: 18, Summary of Key Points

OBJ: 4

NAT: Client Needs: Psychosocial Integrity

KEY: Integrated Process: Nursing Process

BLM: Cognitive Level: Understand

NOT: Multiple Choice

5. While working in a community mental health treatment center, a nurse overhears one of the receptionists saying that one of the clients is “really psycho.” Later in the day, the nurse talks with the receptionist about the comment. This action by the nurse demonstrates an attempt to address which issue?
- A) lack of knowledge
  - B) public stigma
  - C) label avoidance
  - D) self-stigma

ANS: B

**Feedback:**

The receptionist’s statement reflects the negative effects of stigmatization—more specifically, public stigma. Self-stigma reflects a person’s internalization of a negative stereotype; that is, the person with the mental illness begins to believe that he or she is what the public thinks he or she is. Label avoidance refers to avoiding treatment or care so as not to be labeled mentally ill. Lack of knowledge is often the underlying theme associated with any type of stigma.

## Test Bank For Psychiatric Nursing, 7th Edition Mary Ann

PTS: 1 REF: 16, Public Stigma OBJ: 5  
NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Communication/Documentation BLM: Cognitive Level: Apply  
NOT: Multiple Choice

6. After educating a group of students on mental health and mental illness, the instructor determines that the education was successful when the group identifies what as reflecting mental disorders?
- A) capacity to interact with others
  - B) ability to deal with ordinary stress
  - C) alteration in mood or thinking
  - D) lack of impaired functioning

ANS: C

**Feedback:**

Mental disorders are health conditions characterized by alterations in thinking, mood, or behavior and are associated with distress or impaired functioning. Mental health is the emotional and psychological well-being of an individual who has the capacity to interact with others, deal with ordinary stress, and perceive one's surroundings realistically.

PTS: 1 REF: 18, Summary of Key Points OBJ: 3  
NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Teaching/Learning BLM: Cognitive Level: Understand  
NOT: Multiple Choice

7. A nurse is preparing a presentation for a local community group about mental disorders and plans to include how mental disorders are different from medical disorders. Which statement would be most appropriate for the nurse to include?
- A) "Mental disorders are defined by an underlying biological pathology."
  - B) "Numerous laboratory tests are used to aid in the diagnosis of mental disorders."
  - C) "Clusters of behaviors, thoughts, and feelings characterize mental disorders."
  - D) "Manifestations of mental disorders are within normal, expected parameters."

ANS: C

**Feedback:**

Unlike many medical disorders, mental disorders are defined by clusters of behaviors, thoughts, and feelings, not underlying biological pathology. The alterations in thoughts, behaviors, and feelings are unexpected and outside normal, culturally defined limits. Laboratory tests are not used in diagnosing mental disorders.

PTS: 1 REF: 14, Overview of Mental Health Disorders  
OBJ: 1 NAT: Client Needs: Psychosocial Integrity  
KEY: Integrated Process: Teaching/Learning BLM: Cognitive Level: Apply  
NOT: Multiple Choice

8. A nurse is explaining recovery to the family of a client diagnosed with a mental disorder. Which statement about this process would be most appropriate for the nurse to include?
- A) "It is a step-by-step process from being ill to being well."
  - B) "The client focuses mainly on the emotional aspects of his condition."
  - C) "The client is helped to live a meaningful life to the fullest potential."
  - D) "Although peer support is important, the self-acceptance is essential."

ANS: C

**Feedback:**